


VOLA 100, 100X, 200M, 200, 200V, 300, 400DV, 400, 400V
VOLA 400N, 400NV, 400T, 400TV, 400F, 400FV, 400R, 400RV
VOLA 2100, 2100X, 2200, 2200V, 2300, 2400, 2400V
VOLA 2400N, 2400NV, 2400T, 2400TV, 2400F, 2400FV, 2400R, 2400RV

Fitting instruction
Montageanleitung
Monteringsvejledning



Monteringsvægledning
Montage hanleiding
Manuel de montage



VA VA 1.42/16354, VA 1.42/16531, VA 1.42/16532,
VA 1.42/16533, VA 1.42/16535, VA 1.42/16536


www.vola.com

vola





100/200/300/400	VR1254:		VR1400:		VR2019:
Tiles:	3 - 15 mm	Standard		Standard	Standard
Fliesen:	15 - 25 mm	VR1254+10		VR1400+10	VR2019+10
Fliser:	25 - 35 mm	VR1254+20	+	VR1400+20	VR2019+20
Tegels:	35 - 45 mm	VR1254+30		VR1400+30	VR2019+30
Carreaux:	45 - 55 mm	VR1254+40		VR1400+40	VR2019+40
	55 - 65 mm	VR1254+50		VR1400+50	VR2019+50

















2100/2200/2300/2400	VR2250:		VR1400:		VR2019:
Tiles:	3 - 15 mm	Standard		Standard	Standard
Fliesen:	15 - 25 mm	VR2250+10		VR1400+10	VR2019+10
Fliser:	25 - 35 mm	VR2250+20	+	VR1400+20	VR2019+20
Tegels:	35 - 45 mm	VR2250+30		VR1400+30	VR2019+30
Carreaux:	45 - 55 mm	VR2250+40		VR1400+40	VR2019+40
	55 - 65 mm	VR2250+50		VR1400+50	VR2019+50



100/200/300/400	VR1254:		VR1400:		VR2019:
Tiles:	40 - 52 mm	Standard		Standard	Standard
Fliesen:	30 - 40 mm	VR1254+10		VR1400+10	VR2019+10
Fliser:	20 - 30 mm	VR1254+20	+	VR1400+20	VR2019+20
Tegels:	10 - 15 mm	VR1254+30		VR1400+30	VR2019+30
Carreaux:	0 - 10 mm	VR1254+40		VR1400+40	VR2019+40
	-10 - 0 mm	VR1254+50		VR1400+50	VR2019+50

2100/2200/2300/2400	VR2250:		VR1400:		VR2019:
Tiles:	35 - 47 mm	Standard		Standard	Standard
Fliesen:	25 - 35 mm	VR2250+10		VR1400+10	VR2019+10
Fliser:	15 - 25 mm	VR2250+20	+	VR1400+20	VR2019+20
Tegels:	5 - 15 mm	VR2250+30		VR1400+30	VR2019+30
Carreaux:	-5 - 5 mm	VR2250+40		VR1400+40	VR2019+40
	-15 - -5 mm	VR2250+50		VR1400+50	VR2019+50








VOLA 070

 VA 1.42/18318

VOLA 070



VOLA T9



VOLA A/S • Lunavej 2 • DK-8700 Horsens

Tel. +45 70 23 55 00 • Fax +45 70 23 55 11 • sales@vola.dk • www.vola.com

vola®

VOLA T9

